


# RackGuard


## Pallet Rack Safety Netting



**INDUSTRIAL**  
NETTING



[www.industrialnetting.com](http://www.industrialnetting.com)



**RackGuard** forms a durable barrier to contain loose boxes, palletized goods and stacked materials on warehouse shelves and storage racks. Our UV stabilized, polypropylene mesh provides economical protection from falling parts or boxes adjacent to work areas and walkways.

The integral joint structure of this extruded polypropylene grid retains the original hole or aperture size and resists sagging.


RackGuard won't unravel if a joint or strand is cut or frayed. It can be trimmed to fit over sprinkler heads or other irregular shapes without losing the structural integrity of the mesh. This unified grid derives its high tensile strength and dimensional stability from strand to strand, or joint to joint.

### More Economical than Woven Nets

- Improves safety for employees
- Reduces damage to warehouse goods
- Protects traffic areas and workstations from falling objects
- Keeps product from falling between back-to-back racks


### Use RackGuard to:

- Maintain a uniform appearance
- Form a see-through wall for easy product identification
- Easily trim on-site without losing structural integrity



### Also use RackGuard for:


- Shelf Dividers to segregate product
- Security Fences to discourage pilferage
- Conveyor Guards to contain boxes
- Machine Guards or Safety Barriers
- End Cap Safety Barriers



Machine Guards



Shelf Dividers



Security Barriers



# RackGuard Pallet Rack Safety Netting

also suitable for end-of-aisle applications, shelf dividers, and lighter duty box applications

## Custom Lengths • Custom Widths


### Measurements for Custom Cuts

RackGuard pallet rack safety netting is produced as an extruded matrix and stocked in master rolls. Even though RackGuard is easily trimmed with wire cutters or tin snips, most installers prefer to purchase custom cut sizes to save time on their job site. We'll cut to your custom dimensions on our factory floor! The diagram below illustrates critical dimensions.

**Outside Strand to Outside Strand** dimension is critical in most RackGuard installations. Custom cuts will be produced to that dimension unless otherwise specified.

**Outside Edge to Outside Edge** includes the 'nubs' that result from custom cutting to specific widths and lengths. This dimension may come into play when RackGuard is used for shelf dividers or bin dividers.

If your installation requires that the outside nubs be contained within a certain dimension, please specify that the required edge to edge dimension is a maximum allowable dimension.



**We custom cut RackGuard to your specific sizes at our factory to minimize your onsite labor cost and simplify installation.**


## Installation Accessories

**For maximum service life insist on UV stabilized nylon CABLE TIES.**

Select the size and tensile strength best suited for your installation requirements at [www.industrialnetting.com/accessories.html](http://www.industrialnetting.com/accessories.html).



**INDUSTRIAL  
NETTING**



7681 Setzler Parkway North  
Minneapolis, MN 55445-9938

1-800-328-8456 Phone: 763-496-6355 Fax: 763-496-6356  
e-mail: [info@industrialnetting.net](mailto:info@industrialnetting.net) [www.industrialnetting.com](http://www.industrialnetting.com)

